DuploCOLL® 5132

Double sided adhesive mounting tape with low temperature resistance acrylic adhesive and flexible foam carrier

Product construction				
	Name	Colour	Thickness [mm]	
Liner	Polyethylene film	yellow	approx. 0,100	
Adhesive covered side	Modified acrylic			
Carrier	Polyethylene foam	white	approx. 3,000	
Adhesive open side	Modified acrylic			
		Total thickness:	approx. 3,100	

Product advantages

- The adhesive is distinguished by its excellent to cold. Thus the application of DuploCOLL® 5132 is possible even at low temperatures
- Good initial and final adhesion
- High shear strength
- Good ageing resistance and extensive resistance to the influence of chemicals (domestic cleaning and polishing agents)
- The combination of modified acrylic adhesive and compressible polyethylene foam guarantees a very good bonding on rough and uneven surfaces.
- DuploCOLL® 5132 is tested in accordance with the ift directive MO/01-1

Main application fields

- Mounting of building profiles (e.g. plaster profiles)
- Making extruded plastic profiles self-adhesive
- Used for door and window applications

Product features		Applicability on	
Initial adhesion Final adhesion Dimensional stability Adhesion on even surfaces Adhesion on rough surfaces Ageing resistance Weathering resistance Chemical resistance Resistance to plasticizers		Foam Rubber Fabric Glass/Ceramics Wood High energy plastics: PVC, PC, ABS, Low energy plastics: PE, PP, Metal Paper/Cardboard	
• • • very suitable • • • suitable	$ullet$ \circ \circ suitable with reductions	$\circ \circ \circ$ not suitable	



DuploCOLL® 5132

Double sided adhesive mounting tape with low temperature resistance acrylic adhesive and flexible foam carrier

Specific technical data*					
Temperature range		-40 °C to +100 °C			
Temperature range in a rising heat test		-40 °C to +130 °C**			
Duplo COLL® 5132 has a µ-value of 13000. This is consistent with a Sd-value of 104,0m at a tape width of 8mm and a Sd-value of 156,0m at a tape width of 12mm.					
Technical Data				1	
Shear strength	on stainless steel at +23 °C +/- 2°C		30 N/625 mm ²		1
Peel strength 180°	on stainless steel at +23 °C +/- 2°C	>	35 N/25 mm	- T	
					nt.
Application					
Recommended application temperature 1		18 °C to 35 °C			
Application guidelines		www.lohmann-tapes.com			
Storage					

Adhesive tapes should be stored at room temperature and normal humidity (50-70 %). The storage stability is one year after delivery.



DuploCOLL® 5132

Double sided adhesive mounting tape with low temperature resistance acrylic adhesive and flexible foam carrier

Product presentation					
Converted product	Rolls			Spools	
Width [mm]	>6			on request	
Length [m]	25				
Max. log width: 1260 mm	Other dimensions, die-cuts and sheets on request.				

For mechanical mounting of this adhesive tape we also offer a wide range of application devices.

IMPORTANT NOTE

The physical characteristics contained in this data sheet represent typical or average values. All application related statements, information and recommendations herein are given to the best of our knowledge and practical experience. Many factors beyond our control and uniquely within buyer's knowledge and control can affect the use and performance of our tape in a particular application. EXCEPT AS EXPRESSIVELY AGREED IN WRITING WE DO NOT TAKE OVER ANY WARRANTY OR LIABILITY FOR THE SUITABILITY OF USABILITY OF OUR TAPES FOR CERTAIN PURPOSES AND APPLICATIONS RESULTING FROM BUYER'S SPECIAL USAGE OF THE TAPES. EXCEPT WHERE PROVIDED BY MANDATORY LEGAL PROVISIONS, WE WILL NOT BE LIABLE FOR ANY DIRECT OR INDIRECT MATERIAL OR IMMATERIAL LOSSES OR DAMAGES ARISING FROM THE USAGE OR APPLICATION OF OUR TAPES. Solely the buyer is responsible for determining the suitability of the specific tape for its use in connection with his method of application. Please consult our Technical Applications Department for specific advice.

Date of issue: October 2016

Lohmann GmbH & Co. KG Irlicher Strasse 55 56567 Neuwied Germany Phone: + 49 (0) 26 31 34 - 0 Fax: + 49 (0) 26 31 34 - 6661 E-mail: info@lohmann-tapes.com

For further information www.lohmann-tapes.com

